EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	53682	(database or memory or regidter) same (open$3 or initiat$3 or launch$3 or set up or perform $3) same (file or data or application or software or program) same (identif$4 or establish$3 or distinguich$3 or defin $3 or recogni$5 or link$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 09:18
S2	1331	(match$3 or equal or similar$3 or correspond$3 or compar$3 or equat $3) same (grant$3 or allow$3 or gain$3 or obtain$3) near (right or ent$3 or access) same (den$3 or refus$3 or hold$3) near (access or right or ent$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 09:23
S3	29	S1 same S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 10:58
S4	391	(maintening or establish$3) same (database or data or file or applica$3 or program) same secur $3 same (hash$3 or disgest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:50
S5	97211	(prevent$3 or refus $3 or den$3) same (data or data base or file or program) same (allow$3 or grant$3 or gain$3 or match$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:07

S6	9	S4 same S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:24
S7	680	(maintening or establish$3) same secur$3 same (hash $3 or disgest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:50
S8	0	S7 same S5 not S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:51
S9	9	S7 same S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 12:58
S10	4630	(prevent$3 or restrict $3) same (executable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 12:59
S11	330	(prevent$3 or restrict $3) same (executable) same (open$3 or initiat$3 or launch$3) same (file or program or software or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:29
S12	7071	maintain$3 same secur$3 same database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:00
S13	22660	(compar$3 or match $3 or equal$3) same (hash$3 or digest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:02

S14	33	S12 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:11
S15	0	S11 same S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:02
S16	3806	707/9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:12
S17	12	S11 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:12
S18	8	(prevent$3 or restrict$3) same (executable) same (open$3 or initiat$3 or launch$3) same (file or program or software or data) same (hash$3 or digest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:12
S19	32	(GASSOWAY near Paul).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:26
S20	23	S19 and (database or software or preventing or allowing or hash or openi$3 or compar$3 or executable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:52
S21	229231	(number or date stamp) SAME (open$3 or launch$3 or execut$3) same (database or file or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56

S22	192897	"726"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56
S23	6312	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56
S24	36	S22 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56
S25	88	US-5649095-$.DID. OR US-5742845-$.DID. OR US-20040073810-$.DID. OR US-5809138-$.DID. OR US-5987611-$.DID. OR US-6944772-$.DID. OR US-7080000-$.DID. OR US-20030177394-$.DID. OR US-20040039921-$.DID. OR US-20040225877-$.DID. OR US-20050240769-$.DID. OR US-20060230454-$.DID. OR US-5470233-$.DID. OR US-6058390-$.DID. OR US-6170065-$.DID. OR US-20070067275-$.DID. OR US-5958051-$.DID. OR US-6021491-$.DID. OR US-6173402-$.DID. OR US-6301660-$.DID. OR US-20020169998-$.DID. OR US-5937406-$.DID. OR US-5835953-$.DID. OR US-6073222-$.DID. OR US-6085298-$.DID. OR US-5537533-$.DID. OR	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 16:02

		US-5579222-$.DID. OR US-5617533-$. DID. OR US-5720023-$.DID. OR US-5895461-$.DID. OR US-5991876-$.DID. OR US-6014667-$. DID. OR US-4947355-$.DID. OR US-5185885-$.DID. OR US-5220512-$.DID. OR US-5303166-$. DID. OR US-5349658-$.DID. OR US-5369764-$.DID. OR US-5418713-$.DID. OR US-5418954-$. DID. OR US-5544357-$.DID. OR US-5544067-$.DID. OR US-5546577-$.DID. OR US-5548745-$. DID. OR US-5555427-$.DID. OR US-5623418-$.DID. OR US-5664207-$.DID. OR US-5680615-$. DID. OR US-5701498-$.DID. OR US-5731813-$.DID.				
S26	14	(S7 or S4 or S11 or S10 or S12 or S18 or S21) and S25	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:06
S27	0	maintain$3 same secur$3 same (prevent$3 or restrict $3) same stamp stamp same (hash$3 or digest)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:08
S28	0	maintain$3 same (prevent$3 or restrict $3) same stamp stamp same (hash$3 or digest)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:08
S29	4	maintain$3 same (prevent$3 or restrict $3) same time stamp same (hash$3 or digest)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 17:12

S30	12	"2003163510".pn. or "2002174359".pn. or "2003217352".pn. or "2004039921".pn.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:32
S31	0	(database or data or file or appicat$3 or executable) near (known or familiar or approv$3 or predetermin$3 or predefin$) same list with (database or data or file or appicat$3 or executable) near (unfamiliar or unkown or disapprov$3) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:35
S32	21627	(database or data or file or appicat$3 or executable) same (known or familiar or approv$3 or predetermin$3 or predefin$) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:36
S33	5	(database or data or file or appicat$3 or executable)near (unfamiliar or unkown or disapprov$3) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:41
S34	1535	(database or data or file or appicat$3 or executable) near (known or familiar or approv$3 or predetermin$3 or predefin$) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:36
S35	0	S33 same S34	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:36
S36	69461	(mov$3 or transfer$3 or forward$3) same (file or data or executable or application) same (determin$3 or compar$3) same (database or memory or register)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:48

S37	30714	database same (time stamp or time or date or period or dur$3 or amount near time or number near time) same (access $3 or open$3 or execut$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:51
S38	1040	S36 same S37	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:51
S39	317	726/2 or 726/22-33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:52
S40	315	726/2	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:52
S41	2	726/22-33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:53
S42	868	726/22 or 726/23 or 726/27 or 726/28 or 726/29 or 726/30 or 726/29 or 726/31 or 726/32 or 726/33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:55
S43	8	S38 and (S42 or S39)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 11:22
S44	2052	(first or second or third) near database same (compar$3 or forward$3 or determin$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 11:21
S45	7	S44 and (S42 or S39)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 11:22

S46	78339	(number near time or date stamp or date or period) same (compar$3 or determin$3) same (open$3 or execut$3 or initiat$3 or request $3 or launch$3) same (file or data or applicat$3 or executa $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 14:18
S47	868	726/22 or 726/23 or 726/27 or 726/28 or 726/29 or 726/30 or 726/29 or 726/31 or 726/32 or 726/33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 14:20
S48	58	S46 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 14:20
S49	8	"6694434".pn. or "6944772".pn. or "7140042".pn. or "6760752".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 08:42
S50	2	"2003163510".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 09:29
S51	1	(forward$3 or mov$3 or send$3) WITH (unfamiliar or unknown or foreing $3 or strang$3 or unidentif$4 or undefin $3) near4 (file or software or code or executable or data) near4 database same (familiar or known)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 10:49

S52	5	(forward$3 or mov$3 or send$3 or transfer $3 or transmit$4) WITH (unfamiliar or unknown or foreing $3 or strang$3 or unidentif$4 or undefin $3 or bad) near4 (file or software or code or executable or data) near4 database same (familiar or known or good)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 10:52
S53	11	(unfamiliar or unknown or foreing $3 or strang$3 or unidentif$4 or undefin $3 or bad) near4 (file or software or code or executable or data) near4 (database or stor43 or memory) same (forward$3 or mov$3 or send$3 or transfer $3 or transmit$4) with (familiar or known or good) near4 (database or stor$3 or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:00
S54	275	(unfamiliar or unknown or foreing $3 or strang$3 or unidentif$4 or undefin $3 or bad) near4 (file or software or code or executable or data) same (forward $3 or mov$3 or send $3 or transfer$3 or transmit$4) with (familiar or known or good) same (period or time or time stamp or day or month baseline or threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:07

S55	14	(forward$3 or mov$3 or send$3 or transfer $3 or transmit$4) with (virus or signature) near4 (familiar or known or good) same (virus or signature) near4 (unfamiliar or unknown or bad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:27
S56	13	updat$3 with virus near4 (signature or definit$3) with (predetermin$3 or predefin$3 or threshold or baseline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:35
S57	1	(compar$3 or determin$3 or match $3 or check$3) with (known or familiar) near4 (virus or trojan or worn) near4 (unfamiliar or unknown) near4 (virus$3 or trojan or worn) same (updat $3 or add$3 or mov $3 or transfer43 or send$3) same (predetermin$3 or predefin$3 or threshold or baseline) near7 (value or time orperiod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 12:05
S58	34	(compar$3 or determin$3 or match $3 or check$3) with (known or familiar) same(virus or trojan or worn) same (unfamiliar or unknown) same (virus$3 or trojan or worn) same (updat $3 or add$3 or mov $3 or transfer43 or send$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 12:08

S59	4	"5440723".pn. or "7188369".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:07
S60	0	7171/168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:12
S61	1473	717/168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:12
S62	2	S61 and virus$2 signature same (updat43 or upgrad $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:13
S63	2	"5440723".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:29
S64	1346	(virus$2 or trojan or worn) with (length near2 time or period or durat$3 or time) and (open$3 or access$3 and execut $3) near4 time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 08:58
S65	200	(virus$2 or trojan or worn) with ((length near2 time or period or durat$3 or time) and (open$3 or access$3 and execut $3) near4 time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 08:59
S66	34	(virus$2) with ((length near2 time or period or durat$3 or time) and (open$3 or access$3 and execut$3) near4 time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:00

3/ 16/ 2009 3:15:58 PM
C:\ Documents and Settings\ ftraore\ My Documents\ EAST\ Workspaces
\ 10830127_Securedatabase.wsp